

GENERATON OF TOUGH





D-MAAX

Powered by its legendary 3-litre turbo diesel engine, the all-new Isuzu D-Max is tougher than ever, with improvements across the range.

Welcome to the new generation of tough. With increased power and torque, the all-new D-Max retains the durability that has firmly established it as one of the toughest Utes in New Zealand.

The all-new D-Max is more refined and loaded with technology, making your ride more comfortable. And it's achieved the maximum 5-star ANCAP safety rating across the entire range.

Over 50 years of truck-making and specialist engineering experience has led to the all-new Isuzu D-Max. Whether you're on a worksite, navigating the city or ruling off-road, it's bigger, bolder and more comfortable than ever.





Bold and decisive, the all-new D-Max has been redesigned from the ground up.

The all-new Isuzu D-Max combines signature toughness with sleek urban charisma. Completely new styling extends across all models of the all-new D-Max.

The D-Max lights the way with LED Daytime Running Lights (DRLs) and ultra-bright Bi-LED headlights standard on the LS-M, LS and the top of the range X-Terrain. Taking style to another level, the X-Terrain features dark grey highlights and exclusive features such as an aero sports bar, fender flares and a lockable roller tonneau cover.

- A Bi-LED HEADLIGHTS: Bi-LEDs illuminate further and wider. Standard on LS-M, LS and X-Terrain models.
- **3** FRONT GRILLE: With an unmistakably Isuzu attitude, the D-Max grille is both rugged and stylish. The dark grey grille shown is standard on X-Terrain only.
- C LED Taillights: Ultra-bright LED taillights are standard on LS and X-Terrain D-Max models.
- D ALLOY WHEELS: Standard on LS-M, LS & X-Terrain models, durable alloy wheels improve the look of your D-Max.











Effortless space. Intuitive design. Complete comfort.

Your Isuzu D-Max is more than just a ute to get from A to B. It's your mobile office, your place to relax, and your passport to adventure. Whatever your purpose, the D-Max's interior has been carefully crafted to suit your needs.

The first thing you'll notice is the D-Max's stylish, richly appointed and technologically advanced cabin. It's never been simpler to find the perfect driver's position, with a redesigned, ergonomically optimised driver's seat, and tilt and telescopic adjustment of the steering wheel. With electric power steering, every corner of every drive will feel better than ever before. The top of the range D-Max X-Terrain adds an extra layer of luxury with leather accented seats* as standard, as well as an eight-way adjustable electric driver's seat with built-in powered lumbar support.

Your passengers win, too. All occupants enjoy softer cushioning with firmer lateral support, ample space and abundant storage. Reduced vibration and cabin noise make each journey a pleasure. LS and X-Terrain models feature dual zone climate control, while a fine-particle pollen filter and rear-seat air vents feature on all double cab models.

Once you jump in the all-new D-Max you will never want to leave.

- A ELECTRIC ADJUSTABLE DRIVER'S SEAT: Standard on the X-Terrain, an eightway electrically adjustable driver's seat also offers customisable powered lumbar support. Powered lumbar support is also standard on the LS.
- REAR SEATS: 30/70 split fold rear seats standard on all double cabs.
- **C** DUAL ZONE AIR CONDITIONING: Standard on LS and X-Terrain, both driver and passenger can select their own temperature preference.
- **D** TILT & TELESCOPIC STEERING WHEEL: All models feature a height and reachadjustable steering wheel for improved comfort and control.

YOURHOM ON THE-ROA



The intuitive technology in the all-new Isuzu D-Max is designed to make your life easier.

When designing the interior of the all-new D-Max the engineers were given a directive to use an airplane cockpit as inspiration. This means that the D-Max delivers all the technological convenience and functionality you've come to expect, and much more.

Every D-Max features a large, high-definition, customisable central touchscreen, with DAB+ digital radio, Android Auto[™] and wireless Apple CarPlay[®], as well as voice recognition. A large 4.2" digital display lets the driver access a variety of information in the instrument cluster via the steering wheel, including a digital speed reading. LS and X-Terrain models feature built-in satellite navigation as standard, while up to eight surround-sound in-cabin speakers put you in the front row of the concert on every journey.

An array of technology brings you closer to your car. Remote keyless entry features in every model, with the top of the range X-Terrain including smart keyless entry. Remote engine start can pre-cool your ute in summer or warm it in colder months, while push button start minimises fuss. All D-Maxs offer automatic wipers, automatic headlights and all automatic models feature adaptive cruise control as standard.

- A REMOTE ENGINE START: The engine can be activated prior to entry with the push of a button. On X-Terrain only.
- B SMART TOUCHSCREEN DISPLAYS: Apple CarPlay[®]/Android Auto[™] and voice recognition is standard across the D-Max range.
- **C** SMART MID: Digital smart Multi-Information Display (MID) is standard across the range providing information on a variety of vehicle features.
- D REVERSING CAMERA: Every D-Max comes with a reversing camera and Rear Cross Traffic Alert (RCTA) as standard.







The all-new D-Max has been designed for maximum peace of mind. Its cutting-edge and personalised driver assistance systems have been designed to protect you and your passengers and enhance your driving experience.


With Isuzu's Intelligent Driver Assistance System (IDAS*) as standard in every D-Max, the all-new D-Max range has received a 5-star ANCAP safety rating, making it one of the safest vehicles on New Zealand roads. Using state-of-the-art sensors and a stereo camera system, the D-Max constantly monitors your surrounding environment for danger. Should it detect a collision is imminent, the system will work to help the driver to defuse dangerous situations via alert systems and automated functions. Each D-Max model includes eight airbags as standard, and a stronger, more robust body and chassis as well as a reinforced cabin safety cell for ultimate protection in the case of an accident. You're in the safest of hands, wherever the journey takes you - even when you leave the road behind.

4x4 D-Max LS in Sapphire Blue mica

SAI =

*IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.







AUTONOMOUS EMERGENCY BRAKING (AEB): If your D-Max detects a potential collision, emergency braking is applied utomatically.



FORWARD COLLISION WARNING (FCW): ADAPTIVE CRUISE CONTROL: An audible warning sound and red warning lights flash on the dashboard when an obstacle is detected in your path.



Automatically adjusts your speed based on vehicles around you, including Stop and Go functionality when cruise control is activated. (Automatic Transmission only).



BLIND SPOT MONITOR (BSM): Provides a visual warning in your side mirrors when an obstacle is approaching in your blind spot.



LANE KEEPING: Lane Keep Assist (LKA). Emergency Lane Keeping (ELK) and Lane Departure Prevention (LDP) work to help prevent collisions with other drivers should your D-Max begin to drift across its lane. (LKA on Automatic Transmission models only).




TRAFFIC SIGN RECOGNITION: Your D-Max recognises traffic signs, displaying Provides instantaneous feedback information such as speed limits in the MID regarding nearby obstacles at low speed for easy reference.



FRONT & REAR PARKING SENSORS: on X-Terrain models only. (LS models have into traffic, providing visual and audible rear sensors only as standard).



REVERSING CAMERA WITH REAR CROSS TRAFFIC ALERT (RCTA): Monitors your surrounding area while reversing warnings should an object approach from the left or right.



MISACCELERATION MITIGATION: In slow moving areas such as car parks, the stereo cameras determine whether the accelerator has been applied accidentally. Should a potential collision be detected. the brakes are automatically applied. (Automatic Transmission only).



AUTOMATIC HEADLIGHTS & HIGH BEAMS: Headlights automatically turn on when it is D-Max has built-in rain-sensing wipers, dark, such as at dusk or in underground car ensuring you never lose sight of the road parks. During travel, the D-Max dims the high beams automatically to avoid dazzling other drivers.



AUTOMATIC WINDSHIELD WIPERS: Every or trail ahead



EIGHT AIRBAGS: For ultimate protection, every D-Max comes with eight airbags including a centre airbag to protect front seat occupants in side-on collisions.





Experience what D-Max Tough really means with 140kW of power and 450Nm of torque.

Its advanced 3-litre turbo diesel common rail engine produces an avalanche of torque on demand. All 450Nm is available from just 1600rpm, providing maximum take-off and acceleration, while a broad, flat torque band aids driveability. With precise fuel injection control and low engine noise, improved aerodynamics and all the power you need, the D-Max is more capable than ever before. Being Euro5 compliant, the D-Max also delivers efficient fuel economy across the range.

Mated to a choice of manual or automatic six-speed transmissions – the new D-Max demonstrates sophistication across its drivetrain. 6-speed manual transmissions benefit from a new dual mass flywheel, which absorbs vibrations and torque pulses from the engine for smoother and more efficient drivability and transmission longevity. The 'Rev-Tronic' automatic transmission with sequential sports mode, automatically selecting the most appropriate shift and lock-up points according to driving style, vehicle load and road speed. Meanwhile, the short-throw gear lever in the manual D-Max now boasts a superior pivot point – allowing for sportier, more palpable driving engagement.

- A ISUZU 3.0L ENGINE: The advanced 4JJ3-TCX with plenty of real world power (140kW) and torque (450Nm).
- **B** 6-SPEED TRANSMISSION: The D-Max features 6-speed automatic and manual transmission options across the range.
- **C** ENGINE PERFORMANCE CURVE: A flat torque curve delivers 450Nm of torque from 1600rpm to 2600rpm.
















The Isuzu D-Max that kiwis around New Zealand have come to know and love is tougher than ever.

Having built more than 26 million engines internationally, Isuzu is the world leader in diesel engineering. Made to go the distance, the D-Max has a legendary reputation for reliability. Over generations of commercial vehicle manufacturing, Isuzu has proven itself across New Zealand – and around the world.

The D-Max's chassis is constructed with ultra-high tensile steel with extra cross members for added durability. Warm Stress Shot Peening (WSSP) long-span rear suspension is both stronger and more flexible, while independent double-wishbone front suspension with higher upper control arms improve handling for a more comfortable ride. The improved lightweight body provides better overall stability, greater occupant protection, as well as reduced noise and vibration throughout the cabin.

- **A** STEEL TIMING CHAIN: The steel timing chain found in the Isuzu engine is sturdier and lasts longer than a standard poly belt.
- **B** PISTONS: Piston crowns and pins are coated with a special diamond-like carbon that improves durability and heat resistance, helping the engine work smoothly at maximum power.
- **C** FRONT SUSPENSION: Higher mounted control arms minimise body roll when cornering and improve tyre grounding.
- **D** REAR LEAF SUSPENSION: A lighter, but stronger leaf designed for New Zealand conditions creates a smoother ride.
- **E** DOUBLE SCISSOR GEARS: A double scissor idler gear design results in reduced engine and gear noise for quieter and smoother operation.

Engine component imagery is for illustrative purposes only & actual appearance may differ.



The all-new Isuzu D-Max meets every challenge with 3.5-tonne towing^{*}.

Whether it's the boat, the trailer, the caravan or something else, D-Max is up for the challenge. Isuzu's legendary 3-litre turbo diesel engine delivers high torque across the range. When fitted with a genuine Isuzu tow bar kit, every D-Max is able to tow up to 3.5 tonnes, while electric power steering ensures easy touring, no matter how long the journey – or how rough the conditions. Included across the range, Trailer Sway Control (TSC) can assist in bringing the towed vehicle back under control in high winds or uneven surfaces. Should it detect sway, TSC will attempt to assist by automatically applying the brakes on individual vehicle wheels, helping to stop your trailer from stepping out of line - and keeping you on the road.

Wider and stronger than ever, the new D-Max underwent the equivalent of over four million kilometres of testing during research and development – both on and off-road – and it shows. It emerged as the toughest ute in Isuzu's history, with an incredibly durable chassis and suspension tuned for New Zealand conditions. The Isuzu D-Max is the complete performer and your perfect travelling companion.

PULLING POVER

4x4 D-Max X-Terrain in Valencia Orange



New Zealand's toughest ute has been designed from the ground up to handle the most rugged conditions.

Wherever you're planning to go, your D-Max is up for the task. With extensive steel underbody protection, an increased wading depth⁺ of 800mm, and with a rear axle differential lock as standard on all 4x4 models, the D-Max is ready for every road.

Engineered for New Zealand conditions, every 4x4 D-Max features 'Terrain Command' as standard, allowing you to switch between 2WD-high and 4WD-high modes at speeds of up to 100km/h in less than a second. When the going gets tough, selecting 4WD-low will provide increased traction and complete control. Hill Start Assist (HSA) automatically prevents roll-back when starting on steep gradients (above 5.7 degrees), while Hill Descent Control (HDC) gives you maximum traction on rough downhill terrain. A turning circle of just 12.5 metres means maximum manoeuvrability in tight spaces.

The D-Max is supremely confident on-road and off-road, whatever the conditions.

- A STEEL UNDERBODY PROTECTION: Steel underbody guards on sump and transfer case on 4x4 models.
- **B** 800MM WADING DEPTH: Water crossings are simple with an increased wading depth+ of 800mm on all D-Max models.
- **C** REAR DIFFERENTIAL LOCK: Standard on all 4x4 models, the rear differential lock can be engaged with the push of a button when in 4WD-low.
- **D** TERRAIN COMMAND DIAL: Switch quickly and easily between 2WD-high, 4WD-high and 4WD-low driving modes.

Up to 800mm of wading depth on all D-Max models when travelling at a consistent speed of 7km/h. Water ingress may occur if speed is not maintained or if the vehicle is static in water above 350mm.







NENZEALANDS TOUGHESTUTE



GEING THE JOB DONE

ISUZU

4x4 D-Max LX Single Cab Chassis in Mercury Silver metallic with optional Alloy Tray & Tow Bar Kit

The Isuzu D-Max will always be the hardest worker on the job, to get it done anywhere, anytime.

No fuss. No short cuts. No excuses. The D-Max is built to work. Whether you're on the land, on a building site or anywhere in between, the D-Max's superior ladder frame chassis design provides total confidence. Stronger and wider, its rigidity is increased by an incredible 20 percent over its predecessor, thanks to larger chassis side rails and an added cross member. Delivering improved stability when loaded or towing, it ensures long-term durability and sure-footed performance.

Loading up cargo in the cabin is made simple with D-Max's ingenious Space Cab. Featuring rear 'wing' doors to make cabin access easier and a redesigned single piece B Pillar for improved body rigidity, the Space Cab is a worker's best mate. And for even greater versatility, your D-Max can be matched with a genuine Isuzu D-Max tray body, with a range of alloy or steel trays and accessories available to suit you.

All LX and LS-M models come with tough 17-inch all-terrain tyres as standard. They make light work of even the roughest ground while offering a smooth ride on tarmac – and low road noise. With Android Auto[™] and wireless Apple CarPlay[®] across the range, you'll always be connected to the rest of the world.

- A LADDER CHASSIS: The D-Max's superior ladder chassis is 20 percent stronger, wider and has an added cross member for improved rigidity.
- **B** SPACE CAB DESIGN: Ample storage behind the front seats can be easily accessed via rear 'wing' doors.
- C LX GRADE INTERIOR CABIN: LX interior with 7" touchscreen featuring Android Auto™ and wireless Apple CarPlay[®].

Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.









FITFOR YOUR FLEET

ISUZU

D-MAX



*IDAS f driver, as a su Feature driving limitati

With 15 variants available, there's an Isuzu D-Max that's fit for your fleet.

Precision engineered for durability and economy – and with a time-proven reputation for reliability – the D-Max is the ultimate workhorse. And with a choice of 15 variants, the only decision is which D-Max best meets your requirements. Whether your people need to go the distance on highways, on the farm or simply from site to site, the D-Max range has been engineered for valuable cost savings across your fleet, with fewer trips to the fuel pump and less time off the road.

With a maximum 5-star ANCAP safety rating and the Isuzu Intelligent Driver Assistance System (IDAS*) incorporated into every D-Max, your workforce has never been better protected. Every IDAS safety feature is designed to improve driving practices and maintain driver alertness, as well as protecting pedestrians and other road users. Keeping your employees – and your investments – as safe as possible.

Isuzu Ute's nationwide dealer network spans from Kataia to Invercargill. This ensures that support is always close at hand, whether your people are in the city or in regional and more remote locations. Our dedicated fleet team are always available to ensure that your fleet requirements are met. Whether you're your own boss or a large corporation, a D-Max fleet is equipped to suit every aspect of your business.

ANCAP SAFETY

 $\frac{\text{TESTED}}{2020} \star \star \star \star \star \star$

DAS features are designed to assist the iver, but should not be relied upon nor used a substitute for safe driving practices. sature operation may vary in different iving conditions. For full explanation of nitations, see Owner's & Driver's Manual.

D-MAXLX



Cabin Types







Space Cab Chassis Double Cab Ute (4x2 & 4x4)

Model shown is 4x4 D-Max LX Single Cab Chassis in Splash White with an optional Heavy Duty Alloy Tray

LX key features

Tilt & Telescopic Adjustable Steering Wheel

(4x4 only)

Electric Power Steering

Easy-Clean Vinyl Flooring

7" Touchscreen Audio with Android Auto™ & wireless Apple CarPlay[®] Compatibility

Reversing Camera

Black Handles & Mirrors

7" Steel Wheels & 255 65 R17 All-Terrain Tyres	
Matte Grey Grille	
Halogen Headlights	
	ī

		100	
*			
	100		\mathcal{N}
	100	- cl	
	- in	RAN /	/
		- A	
			1



Available colours




Spinel Red mica

Valencia Orange metallic









D-MAX LS-M



Cabin Types



Double Cab Ute (4x4)

Model shown is 4x4 D-Max LS-M Double Cab Ute in Sapphire Blue

Available colours

m 🎎 🔿



LS-M key features

Tilt & Telescopic Adjustable Steering Wheel	
Electric Power Steering	
Easy-Clean Vinyl Flooring	

High Grade Cloth Seats

7" Touchscreen Audio with Android Auto™ & wireless Apple CarPlay[®] Compatibility

Reversing Camera

Body Colour Handles & Mirrors LED Fog Lights 17" Alloy Wheels & 255 65 R17 All-Terrain Tyres Matte Grey Grille Bi-LED Headlights with Auto Levelling

D-MAX LS



Cabin Types





Space Cab Ute (4x4 only)

Double Cab Ute (4x2 & 4x4)

Model shown is 4x4 D-Max LS Double Ute in Spinel Red

LS key features

Tilt & Telescopic Adjustable Steering Wheel Leather Steering Wheel Electric Power Steering Carpet Flooring High Grade Cloth Seats 9" Touchscreen Audio with Android Auto™ & wireless Apple CarPlay® Compatibility Reversing Camera with Rear Park Assist Sensors

18" Two-Tone Machined Alloy Wheels & 265 60 R18 Highway-Terrain Tyres	
Chrome Grille, Handles & Mirrors	I
Bi-LED Headlights with Auto Levelling	
Power Lumbar Support Driver's Seat	
Dual Zone Climate Control Air Conditioning (with rear seat vents in Double Cab)	
Silver Aluminium Side Steps	Ī



Available colours





Splash White





D-MAX X-TERRAIN







Cabin Types



Double Cab Ute (4x4)

Model shown is 4x4 D-Max X-Terrain in Valencia Orange

X-Terrain key features

Smart Keyless Entry & Push Button Start

Remote Engine Start & Walk Away Door Lock

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Carpet Flooring with Darkened Interior Finish

9" Touchscreen Audio with Android Auto™ & wireless Apple CarPlay[®] Compatibility

Front & Rear Park Assist Sensors with Reversing Camera

18" Dark Grey Alloy Wheels & 265 60 R18 Highway-Terrain Tyres

DAAX

Bi-LED Headlights with Auto Levelling

Electric Eight-Way Adjustable Driver's Seat with Power Lumbar Support

Dual Zone Climate Control Air Conditioning (with rear seat vents)

Dark Grey Grille, Side Steps, Fender Flares & Sail Plane

Lockable Roller Lid

Under Rail Bed Liner

Leather Accented Seats*

Available colours



All features mentioned are a guide for quick comparison. Refer to the D-Max specification list for further details on available features. Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions. *Seats have leather touches or accents but are not wholly leather.

SPECIFICATIONS

Engine

Series	Isuzu 4JJ3-TCX	Μ
Description	3.0 litre turbo diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)	
Maximum torque	450Nm @ 1600-2600 rpm (automatic and manual)	А
Maximum power	140kW @ 3600 rpm	
Bore x stroke	95.4mm x 104.9mm	
Displacement	2999cc	
Compression ratio	16.3 : 1	
Cylinder head	Isuzu-patent special aluminium alloy	
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	R
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	
Emission level	Euro5	
Alternator	90 amp with Intelligent Battery Sensor (IBS)	E

Chassis

Separate, full-length heavy-duty chassis with 8 cross members on all models

Front suspension

Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

Rear suspension

LS-M and all Cab Chassis models: Heavy Duty alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

4x2 and 4x4 models: Alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

Steering

Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

Engine-speed-sensitive variable capacity Electric power system; 3.84 turns lock-to-lock via tilt-adjustable steering wheel

Transmission

ual	Isuzu MVL-6S 6-spe torque capacity and 275mm diameter clu mass flywheel	d output re	duction,
omatic	Aisin AWR6B45 II 6 sequential shift and electronically contro fuel-saving lock-up gears 3, 4, 5 and 6 • Uphill/Downhill Tr holds gear in varie selects gear on sto speed with engine	brake shift olled, tri-m torque cor ansmission ed-gradient eep descer	t lock ode with overter on Control: ascents,
os: 1		6-speed Manual	6-speed Automatic
	1st	4.942	3.600
	2nd	2.452	2.090
	3rd	1.428	1.488
	4th	1.000	1.000
	5th	0.749	0.687
	6th	0.634	0.580
	Reverse	4.597	3.732
l drive	4x2	3.727	3.727
	4x4	3.727	3.727
	Snorkelled diff brea fording depth and r		
nsfer gearing	4x4 low-range	2.482	2.482
	4x4 high-range	1.000	1.000
system	"Terrain Command" the fly' 2-high - 4-hi 100km/h, 4-low wit	igh selectio	on at up to
etrain system	TCS (Traction Contr model variants	ol System)	on all

Wheels and Tyres

LX	17" x 7" drilled silver-finish steel; 255 / 65 R17 All-Terrain
LS-M	17" x 7" alloy; 255 / 65 R17 All-Terrain
LS	18" x 7.5" alloy; 265 / 60 R18 Highway- Terrain
X-Terrain	18" x 7.5" dark grey alloy; 265 / 60 R18 Highway-Terrain
All Models	Full size steel spare wheel

Axles

ront

Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums

Power-assisted via 10" servo unit; central pull up park brake

Service Plus

Warranty	For the ultimate peace of mind, every Isuzu D-Max comes standard with a comprehensive, bumper-to-bumper 3 years/100,000km warranty*.
Roadside Assistance	Enjoy up to 3 years or 100,000km of roadside assistance, whichever occurs first.

Safety IDAS

Every D-Max comes with Isuzu's
Intelligent Driver Assistance System
(IDAS#) built-in to protect and enhance
the driving experience. IDAS includes
smart technologies as well as other
passive and active safety features.

#IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.

ANCAP RATING	The entire D-Max range has achieved a maximum 5-star
	ANCAP safety rating in 2020.

* The new Isuzu Three (3) Year Warranty period expires three (3) years from the date of first registration new in New Zealand or 100,000 km, whichever occurs first.

Engi 29990

Trans 6-spe

6-spe Safe 4-cha

Post-Forwa Misad Adap Traffic Intelli Manua Lane [Lane [Lane Emerg Rear 8 Airk Passe Heigh Pre-t Pre-t 3-poi 2 chi Heigh Child Side Engir Rear High High Dual

Prote Under

Prote

Stand Front independent, coil spring suspension w/gas shock absorbers, upper and lower wishbones and stabiliser bar Heavy-duty brakes: 320mm ventilated front discs w/twin-pot calipers, 295mm rear drums



	4 x	2 High-	Ride				4x4			
	Double	Cab Do	ouble Cab	Single Cab		Space Cab		Double Cab		
ine	Ute L	_X	Ute LS	Chassis LX	Chassis LX	Ute LS	Ute LX	Ute LS-M	Ute LS	Ute X-Terrai
9cc DOHC 4cyl. with intercooled turbo charger (450Nm, 140kW)									•	•
nsmissions										
eed manual transmission									•	
eed "Rev-Tronic" automatic transmission with sequential sport mode	•		•	•	•	•	•	•		
ety and Security										
annel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	•		•					•	•	•
tronic Stability Control (ESC)	•		•	•	•	•	•			
tion Control System (TCS)	•		•				•	•	•	•
rgency Brake Assist (EBA)	•		•	•	•	•	•			
Start Assist (HSA)	•		•				•	•	•	•
Descent Control (HDC)	•		•	•	•	•	•	•	•	•
onomous Emergency Braking (AEB) Assist with AEB	•		•	•	•	•		•	•	•
-Collision Braking			•	•	•	•	•	•	•	· ·
vard Collision Warning (FCW)	•		•	•	•	•		•	•	
cceleration Mitigation (*AT models only)	•		•			•	•*	•*	•.	
ptive Cruise Control (ACC) with Stop and Go functionality (*AT models only)	•		•	•.	•.					
fic Sign Recognition (TSR)	•		•			•	•	•	•	
ligent Speed Limiter	•		•	•	•					
ual Speed Limiter	•		•			•	•	•		
e Departure Warning (LDW)	•		•	•	•					
Departure Prevention (LDP)						•	•	•		
Keep Assist (LKA) (*AT models only)	•		•	•.	•					
rgency Lane Keeping (ELK)	•		•	•	•	•	•	•	•	•
er Attention Assist	•		•	•				•	•	•
d Spot Monitoring (BSM)	•		•	•	•	•	•	•	•	•
r Cross Traffic Alert (RCTA)	•		•	•			•	•	•	•
ersing camera	•		•	•	•	•	•	•	•	•
r parking sensors			•							
nt parking sensors										•
rbags: dual front, curtain, side, driver's knee and far side airbags	•		•							
enger side SRS airbag on/off switch			•	•	•	•				
ht-adjustable upper mounts for front seat belts	•		•			•				
tensioners with load limiters for front seat belts	•		•							
tensioners with load limiters for outer rear seat belts	•		•							
bint retractable seat belts for all rear and centre seating positions	•		•	•	•			•	•	
ligent seatbelt reminder (all seats)	•		•	•	•					
ildseat tethers and ISOFIX compatible anchor points	•		•				•	•	•	
ht-adjustable head restraints for full-size seats	· ·		•		•		•	•	•	
d-proof rear door locks In 10 inch some byske master cylinder			•				•	•	•	•
le 10 inch servo brake master cylinder anti-intrusion bars inside all doors			•	•	•	•	•	•	•	•
ine immobiliser			•							
r window demister			•		•					
Density Polyethylene (HDPE) fuel tank			•							
n mount brake light on cabin			•	•	•	•	•	•	•	•
I horn			•							
tection										
er-front steel skid plate			•	•	•	•	•	•	•	•
	•									
I plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank										
taction										
tection										
dard rear leaf suspension	•		•			•	•		•	•
vy duty rear leaf suspension										

Partial SourcePartial SourceParti	In-cabin StorageDouble Cab Ute LXDouble Cab LADouble Cab LADou
table standardHot Not Not Not Not Not Not Not Not Not N	In-cabin Storage Ute LX Ute
unce definition for the function of the functi	Power outlet in lower instrument panel •
intre serviceIII<	Centre floor console· · · · · · · · · · · · · · · · · · ·
ubi and only and frank pancy or land on the pancy or land only and frank pancy or land on the pancy or land on the pancy or land only and frank pancy or land on the	Dual-purpose driver and front passenger cup holder tray•••
arr part of a basis	ear passenger door cup holders••
cale of a part of a first a dis of a dom any late at a discontrational discontratina	cockets on backs of front seats•••
unders on the inform age	cockets on backs of front seats···
whene double with them many lights and flyedout many lange and the barge double doub	we head console with twin map lights and flip-down sunglasses case••
nrind advange emportment with bathe budge	ront door storage compartment with bottle bulge··
contained ip concorrection bandy programmed from and and dong programmed bandy programmed from and and dong programmed from and	coat hooks· · · ·· · · · ·· · · · ·· · · · · · ·· · · · · · · · · · · · · · · · · · ·
abis dependence <td>bol storage behind rear seats • • • • bol storage behind front seats • • • • bol storage behind front seats • • • • torage space under rear flip-up seats • • • • • • • • • • • • • • • • • • •</td>	bol storage behind rear seats • • • • bol storage behind front seats • • • • bol storage behind front seats • • • • torage space under rear flip-up seats • • • • • • • • • • • • • • • • • • •
net on space prime brain frame and the set of the	ool storage behind rear seats • • • • ool storage behind front seats • • • • torage space under rear flip-up seats • • • • • • • • • • • • • • • • • • •
origing should from tashing togging should rear flags gas under our form flags gas under our flags gas un	iool storage behind front seats •
<form>totage agene under rear flow grade tage agene under rear flow grade<brade </brade tage agene under rear flow grade tage agene under rear f</form>	torage space under rear flip-up seats • • • • • • • torage space under rear flooring • • • • ear Tub • • • • • • • • • • pouble-walled ute tub • • • • • • • • • • • • • • • • • • • • • • •
bande or and forming in the set of the set	itorage space under rear flooring • • • • • • • • • • • • • • • • • • •
a set of the se	ear Tub • • • • • • • • • • • • • • • • • • •
cargo tier down hoole inside utp tub .	cargo tie-down hooks inside ute tub
bc.cgo bin-down hooks inside uter tub .	argo tie-down hooks inside ute tub
Attrict Style Image: Style Style Image: Style	
hart from unang for primal naneour analysis for extra low beam depth and induced flare <td></td>	
alogen multi-reflector projections headingths for extra low beam depth and reduced frame of the constraint of the con	
bit Debuilty with auto-beaking function with auto-beaking function with auto-beaking function with auto-beaking function with auto-beak auto-be	
utomatic heading/ths utomatic heading/ths	
utanta high beam <td></td>	
oming home light •	
whee might Image: Section of Se	
Dp. Dp. there. Numing Lights (DRLs)	
Eh of ginhs	
atte groy radiator grille •<	
hrome dialsor grille .	
ark gry radiator gnile - <td></td>	
iolour-coded front bumper ·	
tegrated Rear Step Bumper (Colour-coded) • <td></td>	
are Bumper (Black) • • • bace cab rear "wing" doors • • • bace cab rear "wing" doors • • • ulminium side steps • • • ark grey side steps • • • • • • • • • • • • • • • • • • •	
pace do par "wing" doors • <td></td>	
luminium side steps••••••ark grey side steps••• <td< td=""><td>ear Bumper (Black) • •</td></td<>	ear Bumper (Black) • •
Dark grey side steps </td <td></td>	
Black door handles • • • • • • • • • • • • • • • • • • •	
plour-coded door and tailgate handles • hrome door and tailgate handles • ark grey door and tailgate handles • ark grey door and tailgate handles • ckable tailgate • nder rail tub liner • alle plane • atk grey folder flares • ark grey folder flares • ark grey roof rails • root and trail tub liner • atk grey roof rails • ark grey folder flares • ark grey ofor fails • cont and rear underbody spoilers • olour-coded power door mirrors with integrated turn indicators • olour-coded power door mirrors with integrated turn indicators • rew grey fold-in power door or mirrors with integrated turn indicators • rew grey fold-in power door mirrors with integrated turn indicators • rew grey fold-in power door mirrors with integrated turn indicators • rew grey fold-in power door mirrors with integrated turn indicators • enter fort roof-mounted bee-sting aerial • • enter fort roof-mounted bee-sting aerial • <td>ark grey side steps .</td>	ark grey side steps .
hrome door and tailgate handles •	Mack door handles • • • •
ark grey door and tailgate handles •	
ockable tailgate••<	hrome door and tailgate handles • • •
Inder rail tub liner Index coller	ark grey door and tailgate handles
ailplaneIndex<	ockable tailgate • • • • • • • • • • • • • • • • • • •
Atte black roller lid Image: Control of alls Image: Contro of alls Image: Control of alls Ima	nder rail tub liner •
atte black roller lidImage: constraint of the section of	ailplane
ark grey fender flares Image: Constraint of the section of the se	atte black roller lid
Park grey roof rails Image: Constraint of the constraint	
ront and rear underbody spoilers • • • • • lack power door mirrors • • • • • olour-coded power door mirrors with integrated turn indicators • • • • orbor of load power door mirrors with integrated turn indicators • • • • hrome fold-in power door mirrors with integrated turn indicators • • • • entre front roof-mounted bee-sting aerial • • • • •	
Alack power door mirrors • • • • • • • • • • • • • • • • • • •	
olour-coded power door mirrors with integrated turn indicators • • hrome fold-in power door mirrors with integrated turn indicators • • • ark grey fold-in power door mirrors with integrated turn indicators • • • • entre front roof-mounted bee-sting aerial •	
Chrome fold-in power door mirrors with integrated turn indicators • • • • • • • • • • • • • • • • • • •	
eark grey fold-in power door mirrors with integrated turn indicators	
Centre front roof-mounted bee-sting aerial	
	ED rear combination lamps

		gh-Ride							
Seating	Double Cab Ute LX	Double Cab Ute LS		Space Cab Chassis LX	Space Cab Ute LS	Double Cab Ute LX	Double Cab Ute LS-M	Double Cab Ute LS	Double Cal Ute X-Terrai
Front bucket whiplash protection seats	•	•	•	•	•	•	•	•	•
6-way adjustable driver seat	•	•	•	•	•	•	•	•	
8-way electric adjustable driver seat									•
Electric adjustable lumbar support (driver seat only)		•			•			•	
Split-fold rear seat									
Split-fold rear seat with centre arm rest		•					•		
Rear centre seat headrest	•	•				•	•	•	•
Cabin Amenities									
Dual zone climate control air-conditioning with integrated heater/demister								•	•
Manual air-conditioning with integrated heater/demister	•		•	•		•			
Rear seat air-conditioning vents	•					•	•	•	•
Pollen and fine particle air filter	•	•	•	•	•				•
Power windows with one-touch up/down driver's window with safety stop and delay closing	•		•			•	•	•	•
Comfort turn signal	•	•	•	•	•		•	•	
Central locking with keyless entry	•	•	•	•		•	•	•	
Smart keyless entry									
Walk away lock									•
Push button start									
Remote engine start									
Power-adjustable door mirrors with turn indicator lights		•							
Power-adjustable door mirrors	•		•			•			
4 speaker sound system	•		•	•					
6 speaker sound system					•		•		
"Sky Sound" root-mounted sound system with 8 speakers (mounted in front dash, front doors, rear doors and roof)		•						•	
g schlar der nicht auch system mit er speakers (med auch*) 9 inch touchscreen display with Apple CarPlay and Android Auto*		•			•			•	
7 inch touchscreen display with Apple CarPlay* and Android Auto™	•		•						
Built-in satellite navigation with MID turn-by-turn directions			· · ·		•				
Rear center console USB charging port		•							
Tilt and telescopic adjustable steering wheel with electric power steering	•			•	•	•			
Ure than e steering wheel with cruise, audio and voice recognition controls	•								
Leather steering wheel with cruise, audio and voice recognition controls		•			•			•	
Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder	•		•						
Electro-luminescent gauges			•	•	•	· · ·	•	•	•
"Terrain Command" 4x4 select dial			•	•	•		•	•	•
Rear differential lock button			•	•	•	•	•	•	•
Automatic windshield wipers	•					•		•	•
Intuitive flat wiper blade	·	•			•			•	
Day/night interior rear view mirror	•	•	•	•		•	•	•	•
Sun visors with vanity mirrors (driver and passenger) and ticket retaining strap (driver)		•					•	•	•
Fixed A-pillar assist-grips for driver and front passenger			•					•	•
Fixed B-pillar assist-grips for rear passengers		•				•	· · ·	•	•
Fixed B-pillar assist-grips for driver and front passenger		•				•	•	•	•
		· ·				•	•	•	•
Folding assist-grips for rear passengers		•						•	•
Carpet flooring Easy-clean vinyl flooring			•	· · ·		•	•		

EUEL WEIGHTS AND DIMENSIONS 4x2 High-Ride

FUEL, WEIGHIS AND DIMENSIONS		4X2 High-Ride				414			
D-MAX ADR 81/02^ Fuel Consumption Values	Double Cab Ute LX	Double Cab Ute LS	Single Cab Chassis LX	Space Cab Chassis LX	Space Cab Ute LS	Double Cab Ute LX	Double Cab Ute LS-M	Double Cab Ute LS	Double Cab Ute X-Terrain
Transmission (MT = Manual, AT = Automatic)	AT	MT / AT	MT / AT	MT / AT	AT	MT / AT	MT / AT	MT / AT	AT
FUEL CONSUMPTION (litres/100km)									
Combined	7.7	8	8	8	8	7.7/8.0	7.7/8.0	7.7/8.0	8
Urban	9.5	10.2/9.8	10.2/9.8	10.2/9.8	9.8	9.7/9.8	9.7/9.8	9.7/9.8	9.8
Extra Urban	6.7	6.7/6.9	6.7/6.9	6.7/6.9	6.9	6.6/6.9	6.6/6.9	6.6/6.9	6.9
CO2 (g/km)									
Combined	200	206/207	206/207	206/207	207	200/207	200/207	200/207	207
Urban	246	262/254	262/254	262/254	254	251/254	251/254	251/254	254
Extra Urban	174	174/180	174/180	174/180	180	171/180	171/180	171/180	180
Dimensions (mm unless stated otherwise)									
Wheelbase	3125	3125	3125	3125	3125	3125	3125	3125	3125
Overall length	5265	5265	5325	5285	5265	5265	5265	5265	5280
Overall width (excluding door mirrors)	1870	1870	1870	1870	1870	1870	1870	1870	1880
Overall height ("depends on body fitted)	1785	1790	1790*	1800*	1790	1785	1785	1790	1810
Front overhang	890	890	890	890	890	890	890	890	905
Rear overhang (*depends on body fitted)	1250	1250	1310*	1270*	1250	1250	1250	1250	1250
Wheel track width	1570	1570	1570	1570	1570	1570	1570	1570	1570
Ground clearance	235	240	235	235	240	235	235	240	240
Turning circle diameter between kerbs (metres)	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5
Approach angle	30°	30.5°	29.6°	30°	30.5°	30°	30°	30.5°	30.5°
Departure angle	23.9°	24.2°	28.9°	27°	24.2°	23.9°	23.9°	24.2°	24.2°
Ramp-over angle	23.3°	23.8°	23.9°	23.9°	23.8°	23.3°	23.3°	23.8°	23.8°
Load area (mm)									
Cab to rear axle	450	450	1240	765	765	450	450	450	450
Length (top)	1495	1495	-		1805	1495	1495	1495	1495
Length (floor) (*inside genuine accessory tray body)	1570	1570	2550*	2100*	1835	1570	1570	1570	1570
Maximum width (*inside genuine accessory alloy tray body)	1530	1530	1777*	1777*	1530	1530	1530	1530	1530
Width between wheel houses	1122	1122	-		1122	1122	1122	1122	1122
Depth	490	490	-	-	490	490	490	490	490
Interior (mm)									
Leg room - front	1075	1075	1075	1075	1075	1075	1075	1075	1075
Leg room - rear	905	905	-	-	-	905	905	905	905
Shoulder room - front	1460	1460	1460	1460	1460	1460	1460	1460	1460
Head room - front	1020	1020	1020	1020	1020	1020	1020	1020	1020
Rear cargo space			-	730	730				-
Mass (kg)									
Gross Vehicle Mass (GVM)	3000	3000	3100	3100	3100	3100	3100	3100	3100
Kerb weight^	1950	1950/1960	1780/1790	1850/1860	2000	2025/2035			2130
Payload- (cab chassis models: final mass depends on body fitted)	1050	1050/1040	1320/1310	1250/1240	1100	1075/1065	1080/1070	1065/1055	970
Gross Combination Mass (GCM)	5850	5850	5950	5950	5950	5950	5950	5950	5950
Maximum towing mass (braked trailer)	3500	3500	3500	3500	3500	3500	3500	3500	3500
Maximum towing mass (non-braked trailer)	750	750	750	750	750	750	750	750	750
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	350	350	350	350	350	350	350	350	350
Fuel tank capacity (litres)	76	76	76	76	76	76	76	76	76


^Fuel consumption & emissions figures based on ADR 81/02 & are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition. ^Kerb weight - unladen mass of vehicle & full tank of fuel, excludes tray body for cab chassis vehicles. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001. -Payload equals GVM minus kerb weight.


4x4


CAB CHASSIS BODY STYLES AND DIMENSIONS



LX Single Cab Chassis 4x4













LX Space Cab Chassis 4x4














UTE BODY STYLES AND DIMENSIONS



LS Space Cab Ute 4x4












LS-M Double Cab Ute 4x4












UTE BODY STYLES AND DIMENSIONS



LX Double Cab Ute 4x4












LS Double Cab Ute 4x4














X-Terrain Double Cab Ute 4x4









COLOURS AND TRIM

Body Colours





Onyx Black mica

Sapphire Blue mica



Mercury Silver metallic



Obsidian Grey mica





Splash White

Spinel Red mica



Valencia Orange metallic

Interior Trim



Standard Black Cloth (On LX models)

*Seats have leather touches or accents, but are not wholly leather.

High Grade Cloth (On LS-M & LS models)

Leather Accented[®] (On X-Terrain models)



TRAY STYLES

General Purpose Alloy

Single





DWAX



www.isuzuutes.co.nz 0800 ISUZU NZ

ISUZU UTES NEW ZEALAND LIMITED

ISUZU UTES NEW ZEALAND LTD reserves the right to change specifications and equipment without notice. Details of specifications and equipment mentioned or shown in this brochure are also subject to change to meet local conditions and government recommendations. Please inquire at your local ISUZU Utes dealer for more complete details of any such changes that may be required.

NOTE: Actual vehicle body colours may vary slightly from the colours in the photographs printed in this brochure. Some of the accessories and equipment shown in this brochure have been used for photographic purposes only and are optional.

PO Box 132305, Sylvia Park, Auckland